FIGURE 1


SYSTEM MEMORY
134
(ROM)
138
BIOS
142
(RAM)
140
OPERATING SYSTEM
144
APPLICATION PROGRAMS
146
OTHER PROGRAM MODULES
148
PROGRAM DATA
150
PROCESSING UNIT
132
130
188
VIDEO INTERFACE
190
100
136
SYSTEM BUS
166
NON-VOL MEMORY INTERFACE
184
USER INPUT INTERFACE
NETWORK INTERFACE
LOCAL AREA NETWORK
196
186
194
154
156
160
182
178
198
158
162
180
WIDE AREA NETWORK
OPERATING SYSTEM
APPLICATION PROGRAMS
OTHER PROGRAM MODULES
PROGRAM DATA
170
172
174
176
192
REMOTE APPLICATION PROGRAMS

FIGURE 2


MONITORING APPLICATION
218
USER INTERFACE #1
USER INTERFACE #M
224
222
DATABASE
202
CLASS A
204
OBJECT #1
OBJECT #1 USER INTERFACE ATTRIBUTE VALUE
OBJECT #1 DATA ATTRIBUTE VALUES
210
206
212
OBJECT #N
OBJECT #N USER INTERFACE ATTRIBUTE VALUE
OBJECT #N DATA ATTRIBUTE VALUES
214
208
216
THIRD PARTY USER INTERFACE
220

FIGURE 3


302
DEFINE ATTRIBUTES OF CLASS
304
ACCESS USER INTERFACE ATTRIBUTE VALUE OF AN OBJECT
306
DISPLAY THE ATTRIBUTE VALUES OF THE OBJECT

FIGURE 4


402
404
406
408
410
412
414
416
me Properties
General
Details
Actions
Schedule
Message
Specify the Windows Performance Monitor object to monitor. Choose one instance or leave the instance field blank to track all instances.
Class:
PhysicalDisk
Browse...
Counter:
% Disk Read Time
% Disk Time
% Disk Write Time
% Idle Time
Avg. Disk Queue Length
Avg. Disk Read Queue Length
Avg. Disk sec/Read
Instance:
PhysicalDisk.Name="0 C:"
Browse...
Requires manual reset to return to Ok status.
OK
Cancel
Apply
Help

FIGURE 5


502
504
506
508
510
Change Properties
?
X
General
Details
Actions
Schedule
Message
Specify the HTTP address properties to monitor (for example, the length of time after which a URL request is considered a failure.
512
URL:
http://www.cnn.com
Timeout:
30
seconds
Advanced...
514
HTTP logon
Authentication:
None
User name:
Password:
Proxy server
Address:
Port:
Requires manual reset to return to Ok status.
OK
Cancel
Apply
Help

FIGURE 6


602
604
606
608
610
WMI Instance Properties
?
X
General
Details
Actions
Schedule
Message
Specify the Windows Management Instrumentation (WMI) class or instance to monitor. Choose one instance or leave the instance field blank to track all instances.
612
Namespace:
ROOT\CIMV2
Browse...
614
Class:
MicrosoftHM_IcmpPing
Browse...
Instance:
Address="",Timeout=1000
Browse...
616
Properties:
618
StatusCode
StatusDescription
Address
Timeout
ResponseTime
Requires manual reset to return to Ok status.
OK
Cancel
Apply
Help

FIGURE 7


702
COMPUTER-READABLE MEDIUM
704
706
ACCESS COMPONENT
DISPLAY COMPONENT